

## Complete pneumococcal vaccine schedules suggested by the Centers for Disease Control and Prevention (CDC) of the U.S.

### 美國疾病控制與預防中心（CDC）建議的成人肺炎球菌疫苗接種時間表

#### Adults 19–64 years old with specified immunocompromising conditions<sup>^</sup>

#### 19-64 歲特定免疫系統功能缺乏<sup>^</sup>的成年人

Prior vaccines? 曾經接種過肺炎球菌疫苗?	When can receive PCV20? 什麼時候可以接種PCV20?
None* 從未接種過肺炎球菌疫苗*	Now 現在
PPSV23 only 僅接種過23價	At least one year after receiving the vaccine 接種後至少一年後
PCV13 only 僅接種過13價	At least one year after receiving the vaccine 接種後至少一年後
PCV13 and 1 dose of PPSV23 接種過13價及一針23價	At least five years after receiving the vaccine 接種後至少五年後
PCV13 and 2 doses of PPSV23 接種過13價及兩針23價	At least five years after receiving the vaccine 接種後至少五年後

<sup>^</sup>Including 包括: Chronic renal failure 慢性腎衰竭 | Congenital or acquired asplenia 先天性或後天脾臟缺失 | Congenital or acquired immunodeficiency 先天性或後天免疫缺陷 | Generalized malignancy 全身性惡性腫瘤 | HIV infection 人類免疫力缺乏病毒感染 (HIV) 感染 | Hodgkin disease 霍奇金淋巴瘤 | Iatrogenic immunosuppression 醫源性免疫抑制 | Leukemia 白血病 | Lymphoma 淋巴瘤 | Multiple myeloma 多發性骨髓瘤 | Nephrotic syndrome 腎病症候群 | Sickle cell disease/other hemoglobinopathies 鎌刀型紅血球疾病/其他血紅素病 | Solid organ transplant 接受過器官移植 | History of invasive pneumococcal disease 曾患侵入性肺炎球菌病

\*Also applies to people who received PCV7 at any age and no other pneumococcal vaccines  
亦適用於任何年齡接種過PCV7疫苗且沒有接種其他肺炎球菌疫苗的人